

OfficeSuite UC[®] phones and accessories

OfficeSuite UC Mitel 6900 series phones

Mitel 6915 color phone



OfficeSuite 12-key color phone (6915)

3.5 inch 320x240 color display

12 self-labeling keys; 2 pages of 6 keys

Hands-free wideband speakerphone

Integrated GigE switch

Powered USB 2.0 port (100mA)

Analog and USB headset-ready

Voicemail indicator

Four soft keys

Ten function keys plus navigation disc

Optional wall mount bracket sold separately

OfficeSuite UC Mitel 6900 series phones

Mitel 6920w color WiFi phone



OfficeSuite UC 18-key color WiFi phone (6920w)

3.5 inch 320x240 color display

18 self-labeling keys; 3 pages of 6 keys

Hands-free wideband speakerphone

Embedded 802.11 a/b/g/n WiFi networking

Integrated GigE switch

Powered USB 2.0 port (500mA)

Built-in Bluetooth 5.2

MobileLink integration standard

Analog, USB and Bluetooth headset-ready

Voicemail indicator

4 soft keys

10 function keys plus navigation disc

Accessory expansion port for M695 PKM

Optional wall mount kit sold separately

OfficeSuite UC Mitel 6900 series phones

Mitel 6930w color WiFi phone



OfficeSuite UC 72-key color WiFi phone (6930w)

4.3 inch 480x272 color display

72 self-labeling keys; 6 pages of 12 keys

Hands-free wideband speakerphone

Embedded 802.11 a/b/g/n WiFi networking

Integrated GigE switch

Powered USB 2.0 port (500mA)

Built-in Bluetooth 5.2

MobileLink integration standard

Analog, USB and Bluetooth headset-ready

Voicemail indicator

5 soft keys

10 function keys plus navigation disc

Optional Bluetooth handset sold separately

Accessory expansion port for M695 PKM, DECT headset

Optional wall mount kit sold separately

OfficeSuite UC Mitel 6900 series phones

Mitel 6940w color touchscreen WiFi phone



OfficeSuite UC 96-key color touchscreen WiFi phone (6940w)

7 inch 800x480 color touchscreen display

96 self-labeling keys; 6 pages of 16 keys

Hands-free wideband speakerphone

Embedded 802.11 a/b/g/n WiFi networking

Integrated GigE switch

Powered USB 2.0 port (500mA)

Built-in Bluetooth 5.2

MobileLink integration standard

USB and Bluetooth headset-ready

Bluetooth handset standard

Voicemail indicator

6 soft keys

Accessory expansion port for M695 PKM, DECT headset

Optional wall mount kit sold separately

OfficeSuite UC Mitel 6900 series accessories



M695 color Programmable Key Module (PKM)

Supported on Mitel 6920w, 6930w and 6940w phones

28 programmable keys per PKM. Max. config 84 additional keys

4.3 inch 480x272 color display

Daisy-chain up to 3 PKM's per phone

One attached PKM can be powered by the phone via PoE LAN. Two or three PKM's require PoE+ (802.3at) switch or separate, external power adapter.

Optional wall mount kit sold separately

Mitel 6900 integrated DECT headset

Fully integrated with your Mitel 6930w and 6940w phones

DECT 6.0

Range up to 300 feet

8 hours talk time, 43-hour standby, 3-hour charge

Powered from the phone

Can attach downstream of a PKM if needed



OfficeSuite UC Mitel 6900 series phones

Mitel 6970 conference phone



Mitel 6970 conference phone

Purpose-built for conference rooms up to 20x20 feet

7 inch 800x480 color touchscreen display

96 self-labeling keys; 6 pages of 16 keys

Hands-free wideband speakerphone

Powered USB 2.0 port (500mA)

Built-in Bluetooth 4.1

MobileLink integration standard

Six fixed function keys, six soft keys

Optional corded extension microphones (sold as a pair)

No voicemail indicator

OfficeSuite UC 6900 series phones

| | 6915 | 6920w | 6930w | 6940W | 6970 |
|---------------------------------|--------------------|--------------------|--------------------|-------------------------------------------------------------------------------------------|--------------------------------|
| LCD display | 3.5" (320x240) LCD | 3.5" (320x240) LCD | 4.3" (480x272) LCD | 7" (800x480) touchscreen LCD | 7" (800x480) touchscreen LCD |
| Soft-label buttons | 12 (6 x 2 pages) | 18 (6 x 3 pages) | 72 (12 x 6 pages) | 96 (16 x 6 pages) | 96 (16 x 6 pages) |
| Ethernet ports | 2 x GigE | 2 x GigE | 2 x GigE | 2 x GigE | 1 x GigE |
| IEEE Power-over-Ethernet | 802.3af (2.9W) | 802.3az (2.7W) | 802.3az (3.0W) | 802.3az (3.7W) Class 3 PoE. Requires AC power adapter if DECT headset and/or PKM attached | 802.3af (5.8W typical) |
| 802.11 a/b/g/n WiFi | No | Yes | Yes | Yes | No |
| Wideband speakerphone | Yes | Yes | Yes | Yes | Yes |
| USB port | 1 x Type A (100mA) | 1 x Type A (500mA) | 1 x Type A (500mA) | 1 x Type A (500mA) | 1 x Type A (500mA) 1x Mini USB |
| Bluetooth 5.2 support | No | Yes | Yes | Yes | Bluetooth 4.1 built-in |
| Bluetooth handset support | No | No | Yes (optional) | Yes (standard) | No |
| MobileLink | No | Yes | Yes | Yes | Yes |
| Wired analog headset support | Yes | Yes | Yes | No | No |
| EHS headset support | Yes | Yes | Yes | No* | No |
| USB headset support | Yes | Yes | Yes | Yes | Yes |
| Integrated DECT headset support | No | No | Yes | Yes | No |
| DC power jack | Yes | Yes | Yes | Yes | Yes |
| Onscreen keyboard | No | No | No | Yes | Yes |
| Optional wall mount available | Yes | Yes | Yes | Yes | No |
| M695 PKM support | No | Yes (3 max) | Yes (3 max) | Yes (3 max) | No |

* 6940w does not support EHS Headsets

OfficeSuite UC Poly VVX x50 series phones

Poly VVX 450 phone



12-line color GigE (VVX450) phone

For the executive, upper manager

4.3" color backlit display

12 line keys, 4 pre-defined soft keys, 10 programmable soft keys

In-call keys: call transfer, hold and voicemail

Illuminated audio keys

2 USB ports (rear and side)

HD audio

Integrated GigE switch

Supports up to two EM50 expansion modules

Optional wall mount kit sold separately

OfficeSuite UC Poly VVX x50 series phones

EM50 expansion module



Poly VVX EM50 expansion module

Supported on the VVX 450 only (shown, sold separately)

Ideal solution for high call volume handlers, receptionists, call attendants

4.3" color backlit display

30 line keys x 3 pages

1 USB port (side)

USB connected to VVX 450

Up to two EM50 expansion modules can be supported on the VVX 450

Optional wall mount kit sold separately

OfficeSuite UC Poly VVX x50 series phones

Poly VVX 350 phone



6-line color GigE (VVX350) phone

Feature-rich phone for advanced users, managers, offering additional call handling capabilities

3.5" color backlit display

6 line keys, 4 pre-defined soft keys, 10 programmable soft keys

In-call keys: call transfer, hold and voicemail

Illuminated audio keys

2 USB ports (rear and side)

HD audio

Integrated GigE switch

Optional wall mount kit sold separately

OfficeSuite UC Poly VVX x50 series phones

VVX x50 power adapter



Power adapter VVX 350 and 450

Optional power adapter for LAN environments not already equipped with power over Ethernet

For Poly VVX 350 and 450 model phones (sold separately)

OfficeSuite UC Poly VVX phones

Poly oBi WiFi adapter



Poly VVX OBi WiFi dongle

Enable Poly devices that have a USB port with WiFi connectivity

Supported on the following VVX phones: 350 and 450 (each sold separately)

Dual-band 802.11ac 2.4 GHz and 5GHz frequencies

Wireless data encryption with 64/128-bit WEP, WPA, WPA2

Connects to the USB port of the VVX phone and configured via the phone screen by the customer with SSID and password

Recommended to connect and configure first in an Ethernet-wired environment and then switch to WiFi

When using a phone via WiFi only, you must provide VVX power adapter (sold separately)

OfficeSuite UC Poly VVX x50 series phones

| | VVX 350 | VVX 450 |
|--------------------------|------------------------------------|------------------------------------|
| Display | 3.5" color backlit | 4.3" color backlit |
| HD Audio | Yes | Yes |
| Line Keys | 6 | 12 |
| Soft keys | 4 pre-defined, 10 programmable | 4 pre-defined, 10 programmable |
| Illuminated audio keys | Yes | Yes |
| In-call keys | Transfer, hold, voicemail | Transfer, hold, voicemail |
| Built-in switch | GigE | GigE |
| USB ports | 2 (rear and side) | 2 (rear and side) |
| EM50 support | No | Yes (2 max.) |
| OBi WiFi adapter support | Yes | Yes |
| Wall mountable | Wall mount 350 kit sold separately | Wall mount 450 kit sold separately |

Poly Trio 8300 conference phone



Trio 8300

3.5 inch monochrome LCD display

90 dB @ 0.5m, 12 ft/3.7 m mic pick-up

5-way local audio conferencing

WiFi (2.4/5GHz, SISO)

Bluetooth 4.0

I/O Ports

- + 1 x USB 2.0 ((Device/Host)
 - + 1 x 10/100/1000 Ethernet PoE+
 - + 2 x RJ9 for Expansion Mics
-

Optional pair of wired extension microphones sold separately

OfficeSuite UC—Yealink cordless system



W59R Rugged IP67 rated



W76P = W70B + W56H

W79P = W70B + W59R Rugged Handset (IP67 rated)



CP935W

DECT 6.0, 1.9 GHz. Range up to 50m (~150 ft) indoors

Two handset options: W56H and rugged W59R

Cordless dual boot DECT/WiFi conference phone, CP935W

Single cell and multi-cell base options

W76P package (W70B+W56H) supports max. 10 handsets, 10 SIP accounts (extensions), and 20 concurrent calls

W79P package (W70B+W59R) supports max. 10 handsets, 10 SIP accounts (extensions), and 20 concurrent calls

Up to six RT30 repeaters per base for extended range

W80B multi-cell base—requires W80DM DECT manager

Max. expansion: 30 W80B multi-cell bases with W80DM DECT Manager, 100 handsets, 100 SIP accounts, 8 calls per base (max. 100 per system)

OfficeSuite UC–Poly Rove cordless system



Rove 30



Rove 40

- + Bluetooth
- + Vibrate mode
- + Emergency key

Rove 30 & 40

- + Anti-microbial,
- + Ruggedized
- + IP65 rated



Poly Rove B2

Poly Rove B4

Poly Rove R8

DECT 6.0, 1.9 GHz. Range up to 50m (~150 ft) indoors

Two handset options, both Anti-microbial, rugged, IP65 rated

Single cell, dual cell, and multi-cell options

Package of B2 base + Rove 30 handset. Additional handsets, Rove 30 or Rove 40, sold separately

B2 single cell base: Up to 20 handsets, up to 10 concurrent calls. 5,000 SF

Dual cell config: two B2 bases, up to 20 handsets, up to 20 concurrent calls. 5,000 to 15,000 SF

B4 multi-cell base: up to 254 bases, up to 2000 handsets, 1000 concurrent calls. Greater than 15,000 SF

Repeaters: up to 6 per base in star pattern, or 2 legs of 3 in a daisy chain

DuraFon SIP system



EnGenius DuraFon SIP system

Bundle of the base and first handset

Supports a maximum of 10 handsets with a unique OfficeSuite UC extension

Base supports up to 4 simultaneous calls

Rugged base and handset designed for harsh environments and 50, six-foot drops

900 MHz technology with Frequency Hopping security

Superior range:

- + Up to 12 floors
- + 250,000 sq. ft.
- + 3,000 acres

Includes a handset charging cradle and belt clip

Includes a base power adapter

DuraFon SIP handset



EnGenius DuraFon SIP additional handset

Additional handset for DuraFon SIP system

Requires DuraFon SIP base; sold as a package with first handset

Supports a maximum of 10 handsets per base

Rugged handset designed to withstand 50, six-foot drops

900 MHz technology with Frequency Hopping security

5 hours of talk time; 50 hours on standby; 50 entry phone book

Includes a charging cradle with power adapter and belt clip

DuraFon SIP base station



DuraFon SIP base station

DuraFon SIP base station (included in package with first handset)

Requires DuraFon SIP handsets; sold separately

Supports a maximum of 10 handsets per base

Maintain a distance of 30 ft. (10m) between base stations

Calls are not handed off between base stations

Rugged design withstands 50, six-foot drops

900 MHz technology with Frequency Hopping security

1 LAN port per base supports up to 4 concurrent calls

Superior range:

- + 12 floors in building
 - + 250,000 sq. ft. warehouse
 - + 3,000 acre ranch/farm
-

Includes a power adapter

DuraFon PRO base station



EnGenius DuraFon PRO base station

Replacement/additional DuraFon PRO base station

Requires DuraFon PRO handsets; sold separately

Supports up to 4 analog lines (sold separately) per base

Expandable up to 8 base stations per site, maximum 32 lines (sold separately)

Supports up to 90 handsets total across all bases

Multiple bases sync to each other and can be installed in close proximity

Calls are not handed off between base stations

Rugged design withstands 50, six-foot drops

900 MHz technology with Frequency Hopping security

Superior range:

- + 12 floors in building
- + 250,000 sq. ft. warehouse
- + 3,000 acre ranch/farm

Includes a power adapter

DuraFon PRO handset



EnGenius DuraFon PRO additional handset

Additional handset for DuraFon PRO (analog) system

Requires DuraFon PRO base; sold separately

Supports up to 90 handsets total across all bases

Rugged handset designed to withstand 50, six-foot drops

900 MHz technology with Frequency Hopping security

5 hours of talk time; 50 hours on standby; 90 entry phone book

Includes a charging cradle with power adapter and belt clip

Our managed connectivity, communications and security solutions are innovative.

Your business outcomes are imperative.

Windstream Enterprise drives business transformation through the convergence of our proprietary software solutions and cloud-optimized network to unlock our clients' revenue and profitability potential. Our end-to-end IT managed services modernize technology infrastructure, optimize operations, eliminate resource constraints and elevate the experience of our clients and their end users, while securing their critical data and brand reputation. Analysts recognize Windstream Enterprise as a market leader for our product innovation, and clients rely on our best-in-class management portal. Businesses trust Windstream Enterprise as their single-source for a high-performance network and award-winning suite of connectivity, collaboration and security solutions—delivered by a team of technology experts whose success is directly tied to our clients' complete satisfaction.

For more product help, visit windstreamenterprise.com