











OfficeSuite UC[®] phones

	MITEL 6915	MITEL 6920w	MITEL 6930w	MITEL 6940w	MITEL 6970 CONFERENCE PHONE	MITEL M695 MODULE (NOT 6915, 6970)
						
Line appearances	Up to 6	Up to 6	Up to 12	Up to 16	Up to 16	N/A
Speakerphone	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	N/A
Headset jack	USB and analog (EHS)	USB, Bluetooth and Analog (EHS/DHSG)	USB, Bluetooth and Analog (EHS)	USB and Bluetooth	N/A. Built-in Bluetooth 4.1	N/A
Power over Ethernet	802.3af (2.9W)	802.3az Class 3 PoE (2.7W)	802.3az (3.0W)	802.3az Class 3 PoE (3.7W)	802.3af (5.6W typical)	Powered by phone
WiFi connectivity	No	802.11 a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n	No	No
Integrated Ethernet switch	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	1 Port GigE (10/100/1000)	N/A
Park and paging	Yes	Yes	Yes	Yes	Yes	Via phone
Screen	3.5" color display	3.5" color display	4.3" color display	7" touchscreen color	7" touchscreen color	4.3" color display
Programmable keys	12	18	72	96	96	28 per module (up to 3 modules)
Key type	Self labeling	Self labeling	Self labeling	Self labeling	Self labeling	Self labeling
Soft keys	4	4	5	6	6	N/A
Function keys	10 (plus navigation)	10 (plus navigation)	10 (plus navigation)	10	6	N/A
Size (inches)	8.9 x 5.9 x 7.5	8.9 x 5.9 x 7.5	9.3 x 5.9 x 7.5	9.7 x 5.9 x 7.5	18.1 x 10.6 x 5.5	0.8 x 7.9 x 3.1
Weight (lbs)	2.2	2.2	2.4	2.6	4.1	1.2
Power consumption	2.9W	2.7W	3.0W	3.7W	5.6W	3.2W (through Phone)
Power requirements	PoE or AC power	PoE or AC power	PoE or AC power	PoE or AC power. Requires AC adapter if DECT headset and/or PKM attached	PoE only	Powered by phone

OfficeSuite UC[®] phones

	DECT HEADSET FOR 6930 AND 6940	6-LINE COLOR GIGE (VVX350)	12-LINE COLOR GIGE (VVX450)	VVX EM50 EXPANSION MODULE	POLY TRIO 8300 CONFERENCE PHONE
					
Line appearances	N/A	Up to 6	Up to 12	30 keys x 3 pages	3
Speakerphone	N/A	Yes	Yes	No	Yes (12 ft mic pickup)
Headset jack	N/A	Analog, USB	Analog, USB	N/A	N/A. Built-in Bluetooth 4.0
Power over Ethernet	Powered by phone	IEEE 802.3af	IEEE 802.3af	Powered from VVX 450	802.3af
WiFi connectivity	No	—	—	—	802.11 a/b/g/n
Integrated Ethernet switch	N/A	2 x 10/100/1000	2 x 10/100/1000	N/A	No
Park and paging	N/A	Yes	Yes	Via phone	Park / Retrieve (via star codes)
Screen	N/A	3.5" color LCD	4.3" color LCD	4.3" color LCD	3.5 in. monochrome LCD
Programmable keys	N/A	6 line keys, 10 soft keys	12 line keys, 10 soft keys	30 keys x 3 pages	N/A
Key type	N/A	Self labeling	Self labeling	Self labeling	N/A
Soft keys	N/A	4	4	0	4
Function keys	N/A	9 plus navigation	9 plus navigation	3	12
Size (inches)	Range: 300 feet	9.2 x 10.3 x 2.5	9.5 x 10 x 2.2	5 x 6.5 x 2.5	13.3 x 11.5 x 2.4
Weight (lbs)	Battery: 8-hour talk, 43-hour standby	2.2	2.2	1	1.62
Power consumption	3.0w (through phone)	13W	13W	Powered by phone	36W
Power requirements	Powered by phone	PoE or optional AC adapter	PoE or optional AC adapter	Powered from phone (up to two EM50s)	PoE or optional AC adapter

OfficeSuite UC[®] phones

	YEALINK W76P CORDLESS (W70B BASE + W56H HANDSET)	YEALINK W79P CORDLESS (W70B BASE + W59R RUGGED HANDSET)	YEALINK CP935W CORDLESS DECT/WIFI CONFERENCE PHONE	POLY B2 + ROVE 30 CORDLESS	ENGENIUS DURAFON SIP	ENGENIUS DURAFON PRO (ANALOG)
						
Line appearances	2	2	2	2	2	2
Speakerphone	Yes	Yes	Yes	Yes	Yes	Yes
Headset jack	3.5mm	3.5mm. Built-in Bluetooth	N/A. Built-in Bluetooth	3.5mm	2.5mm	2.5mm
Power over Ethernet	Base only	Base only	No. Built-in battery.	Base only.	No	No
WiFi connectivity	—	—	802.11 a/b/g/n	—	—	—
Integrated Ethernet switch	No	No	No	No	No	No
Park and paging	Park/retrieve (via star codes)	Park/retrieve (via star codes)	Park/Retrieve (via star codes)	Park/retrieve (via star codes)	Park/retrieve (via star codes)	Park/retrieve (via star codes)
Screen	2.4 inch color LCD	1.8 inch color LCD	4" 480x800-pixel color touch LCD	2.4 inch color LCD	4 line LCD	4 line LCD
Programmable keys	6 short cut keys	6 short cut keys	No	4	50 entry phone book	90 entry phone book
Key type	Programmed via phone	Programmed via phone	Touchscreen	Programmed via phone	N/A	N/A
Soft keys	2	2	4	3	2	2
Function keys	6 + navigation disc	6 + navigation disc	3	4 + navigation disc	6	6
Size (inches)	6.9 x 2.1 x 0.8	6.2 x 2.0 x 0.9	11.4 x 11.2 x 2.5	6 x 2 x 1	6.3 x 2.3 x 1.2	6.3 x 2.3 x 1.2
Weight (lbs)	0.4	0.4	1.74	0.4	Base 1.9, handset .4	Base 2, handset .4
Power consumption	Base 3W, handset 1.7W	Base 3W, handset 1.9W	11.3W	Base 10W, handset 10W	Base 12W, handset 7W	Base 12W, handset 7W
Power requirements	120VAC adapters included	120VAC adapters included	120VAC charging adapter included	120VAC adapters included. Base is PoE	120VAC adapters included	120VAC adapters included
Range	150 feet indoors	150 feet indoors	—	150 feet indoors	12 floors, 250K SF, 3000 acres	12 floors, 250K SF, 3000 acres
Batteries	3.7V Lithium-Ion 1460mAh (included)	3.7V Lithium-Ion 1460mAh (included)	—	3.7Lithium-Ion 1100mAh (included)	3.7V, 1700 mAh Lithium ion (included)	3.7V, 1700 mAh Lithium ion (included)



OfficeSuite UC[®] phones

Equipment and features

CALL COVERAGE

Direct incoming calls to any phone and change locations anytime online

AUTO ATTENDANTS

Get virtually unlimited auto attendants at no extra cost so that callers can self-select from a menu

ADVANCED VOICEMAIL

Receive notifications and messages from any phone, online or in email

QUALITY ASSURANCE TOOLS

Optimize customer conversations by monitoring, evaluating and recording calls

BUILT-IN INTERCOM

Page co-workers, even across multiple sites

MOBILE READY

Make updates and changes directly from your tablet or smartphone

911 Notifications
Account codes
Auto attendants (unlimited)
Auto attendants – nested
Auto-dial (automatic ringdown)
Auto-generated key labels
Broadcast groups
Business quality voice lines
Call coverage
Call coverage – incoming call routing
Call detail records
Call display
Call forward
Call groups
Call history reporting
Call hold
Call hunting (circular & linear)
Call park/retrieve
Call permissions profiles (by user)
Call transfer
Call waiting tone
Caller ID with name
Caller's list (inbound & outbound)
Click-to-call
Company-wide chat
Context soft keys
Do not disturb
Emergency forwarding
E911 compliant
Extension dialing (3 to 7 digits)
Fixed function keys

Geographic redundancy
Gigabit Ethernet phones
Group presence routing by time of day, day of week
Group voicemail
Hands-free speakerphone
Headset capable
Hot desking/multi-desking
Hunting
Incoming call routing
Integrated Ethernet switch
Intercom
Join/leave call groups
Join/merge calls
Local phone numbers (DIDs)
Mobile apps
Mobile twinning*
Monitor groups
Multiple business hour profiles
Multiple CLIDs
Multiple line appearances
Music on hold
Mute
OfficeSuite UC click-to-call extension
OfficeSuite UC connector for Amazon Alexa
OfficeSuite UC connector for Google Assistant
OfficeSuite UC desktop & mobile apps
Online self-help documentation
Phone directory – employee
Phone directory – external via portal key

Profiles (by user type)
Page
Power over Ethernet phones
Presence & availability
Private CLIDs programmable keys
Redial
Redirect – emergency forwarding
Ring tones
Selective call routing
Self-labeling keys
Site page
Speakerphone
Speed dial
Station busy lamp Indicator – silent
Ten-way calling
Transfer direct to voicemail
Unlimited calling nationwide†
Visual voicemail & speech-to-text
Voicemail
Voicemail auto-forward all to e-mail ID
Voicemail forward to co-worker ext.
Voicemail message waiting indicator
Voicemail notification via e-mail or SMS
Zero out of voicemail – personal target

*Select seat types

†See terms & conditions for details

Optional equipment and services

Additional phone numbers nationwide
Analog extensions with voicemail
Bluetooth options (select phones)
Conference phones
Contact center services
Cordless phones
Entry/door control systems
Extension call recording
Extension monitoring
Group twinning
MobileLink integration (select phones)
OfficeSuite UC connector for Google
OfficeSuite UC connector for HubSpot®
OfficeSuite UC connector for Microsoft Office 365

OfficeSuite UC connector for Salesforce®
OfficeSuite HD Meeting®
Overhead paging interface
Secure eFax
Single sign-on
Softphones-Mac, mobile & PC
Voicemail transcription
WiFi phones (select phones)
Wireless DECT headsets (select phones)

*Subject to availability.

Our managed connectivity, communications and security solutions are innovative.

Your business outcomes are imperative.

Windstream Enterprise drives business transformation through the convergence of our proprietary software solutions and cloud-optimized network to unlock our clients' revenue and profitability potential. Our end-to-end IT managed services modernize technology infrastructure, optimize operations, eliminate resource constraints and elevate the experience of our clients and their end users, while securing their critical data and brand reputation. Analysts recognize Windstream Enterprise as a market leader for our product innovation, and clients rely on our best-in-class management portal. Businesses trust Windstream Enterprise as their single-source for a high-performance network and award-winning suite of connectivity, collaboration and security solutions—delivered by a team of technology experts whose success is directly tied to our clients' complete satisfaction.

For more product help, visit windstreamenterprise.com